

The Belmont fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.


Size: 36"W x 16"H CSA/UL Approved Burner Assembly




	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	140,000
Weight	120 lbs	120 lbs
Fuel Options	NG/LP	NG/LP

## Optional Accessories:

Propane Tank Cover 16"W x 16"D x 21"H Glass wind Guard 30"D x 6"H Vinyl Weather Cover Powder Coated Aluminium Table Top 36"D





## Colour Options







NATURAL



SANDSTONE

CHARCOAL

Colour Options









IVORY BEACH **STONE** 

SLATE BEACH **STONE** 

BLACK LAVA **ROCK** 




PERSPECTIVE VIEW





### Clearances

# Overhead solid structure: (Floor, overhang, pergola or screen)



Solid structure or combustible on no more than 2 sides.


- 12" minimum clearance for noncombustible materials.

#### Note

Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

**Burner Assembly** 

18" Match Lit Burner





Residential or

no more than


Commercial

Building on

2 sides.

Clearances:

Overhead solid structure: (Floor, overhang, pergola or screen)



Solid structure or combustible on no more than 2 sides.

- 12" minimum clearance for noncombustible materials.

Note: Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks. Note:

Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

## **Burner Assembly**

Electrical:

120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes. 24" Electronic Ignition Burner

