The Element fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 20-1/2"W x 16"H CSA/UL Approved Burner Assembly



nition Electronic Ignition
90,000
50 lbs
NG/LP

# Optional Accessories:

Propane Tank Cover 21"H x 16"W x 16"D

Vinyl Weather Cover

Powder Coated Aluminium Table Top 20-1/2"D

# Colour Options







NATURAL

CLAY

ASH

SANDSTONE

CHARCOAL

# **Decorative Aggregate Options**









IVORY BEACH STONE


SLATE BEACH STONE

BLACK LAVA ROCK






#### PLAN VIEW




# PERSPECTIVE VIEW



#### Clearances

# Overhead solid structure: (Floor, overhang, pergola or screen)



Solid structure or combustible on no more than 2 sides.


- 12" minimum clearance for noncombustible materials.

#### Note

Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

# Burner Assembly

#### 18" Match Lit Burner





Residential or

no more than


Commercial

Building on

2 sides.

#### Clearances

# Overhead solid structure: (Floor, overhang, pergola or screen)



Solid structure or combustible on no more than 2 sides.

- 12" minimum clearance for noncombustible materials.

Note: Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

# **Burner Assembly**

#### Electrical:

120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.

18" Electronic Ignition Burner

