



# SERENADE 40

The Serenade fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 40"W x 19"H  
CSA/UL Approved Burner Assembly



	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	140,000
Weight	110 lbs	110 lbs
Fuel Options	NG/LP	NG/LP


### Optional Accessories:

- Propane Tank Cover 16"W x 16"D x 21"H
- Glass Wind Guard 30"D x 6"H
- Vinyl Weather Cover
- Powder Coated Aluminium Table Top 40"D


### Colour Options




NATURAL




LIMESTONE




CLAY



ASH



SANDSTONE



CHARCOAL

### Decorative Aggregate Options




IVORY BEACH STONE




SLATE BEACH STONE




BLACK LAVA ROCK




PLAN VIEW



PERSPECTIVE VIEW




FRONT ELEVATION




SIDE ELEVATION



### Clearances



### Burner Assembly






# SERENADE 40

Electronic Ignition

## Clearances

Overhead solid structure:  
(Floor, overhang, pergola or screen)



Residential or Commercial Building on no more than 2 sides.

Solid structure or combustible on no more than 2 sides.  
- 12" minimum clearance for noncombustible materials.



Note:  
Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

Note:  
Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

## Burner Assembly

Electrical:  
120V Outdoor receptacle required.  
Must be installed and grounded in accordance with local codes.

24" Electronic Ignition Burner



ON/OFF remote control included with Electronic Ignition models

